

Clinical Trials (recruiting subjects)

ACT-1 (younger patients)

A randomized phase III study to evaluate the efficacy of chemoimmunotherapy with the monoclonal antibody Campath-1H (Alemtuzumab) given in combination with 2-weekly CHOP versus 2-weekly CHOP alone and consolidated by autologous stem cell transplant, in young patients with previously untreated systemic peripheral T-cell lymphomas

ACT-2 (elderly patients)

A randomised phase III trial to evaluate the efficacy of chemoimmunotherapy with the monoclonal antibody Campath-1H (Alemtuzumab) given in combination with 2-weekly CHOP (Cyclophosphamide, Doxorubicin, Vincristine and Prednisone) versus 2-weekly CHOP alone in elderly patients with previously untreated systemic T- cell Lymphoma

AML17

Trial in acute myeloid leukaemia or high risk myelodysplastic syndrome 17. Protocol for patients aged under 60

C25003

A randomized, open-label, phase 3 trial of A+AVD versus ABVD as frontline therapy in patients with advanced classical Hodgkin lymphoma

CML pregnancy registry

A global Gleevec/Glivec & Tasigna pregnancy exposure registry. A voluntary post-authorization safety study (PASS)

DALIAH

A Danish study of low-dose Interferon Alpha versus Hydroxyurea in the treatment of Ph negative chronic myeloproliferative neoplasms: a national randomized, prospective quality assurance study mainly focusing on efficacy, toxicity, and quality of life

EMN-02 / HOVON 95 MM / NMSG 19/10

A randomized phase III study to compare Bortezomib, Melphalan, Prednisone (VMP) high dose Melphalan followed by Bortezomib, Lenalidomide, Dexamethasone (VRD) consolidation and Lenalidomide maintenance in patients with newly diagnosed multiple myeloma

GILEAD CLL

A phase 3, randomized, controlled study evaluating the efficacy and safety of GS-1101 (CAL-101) in combination with ofatumumab for previously treated chronic lymphocytic leukemia

MILLENIUM C16010

A phase 3, randomized, double-blind, multicenter study comparing oral MLN9708 plus lenalidomide and dexamethasone versus placebo plus lenalidomide and dexamethasone in adult patients with relapsed and/or refractory multiple myeloma

MSCNET MM

Cancer stem cells in multiple myeloma: a prospective registry of tissue samples

MUCOSITIS

Analysis of cellular and humoral components of significance to Mucositis' pathogenesis and healing by assessment of mucosa biopsies and peripheral blood in patients treated with high dose chemotherapy

SUTRICA

A randomized, open-label phase III study of Clarithromycin, Sulfamethoxazole/Trimethoprim or observation in combination with standard therapy in patients with newly diagnosed multiple myeloma

October 2013 /Lise Tordrup Elkjær